



Volume Chart

INTRODUCTION:

Accella Tire Fill Systems' ReSeal™ Volume Chart has been produced as an aid for Accella's customers. We believe you will find this comprehensive chart both useful and easy to use. Just find the tire size designation for the tire you want to add sealant to in the column labeled "Tire", and look across to find the volume of sealant to use in the shaded column labeled "Volume ML (cc)" or "ounces". Reading the following sections will help you to more fully utilize the information contained in this chart.

CAUTIONS:

While care has been taken to ensure the accuracy of the volumes in the following chart, Accella Tire Fill Systems is not responsible for any loss or damage that may result from its use.

Use of ReSeal™ in some high speed tires may result in vibration problems. The customer should determine the suitability of ReSeal™ for any given application.

No allowance has been made for variations which will occur among different tire brands for a given tire size and rating.

SPECIAL FEATURES:

- Pages 51-52, Volume Chart:

These two pages contain all tires which lack a rim diameter as part of their designation. This only applies to type VII aircraft tires, bicycle tires, some industrial tires, and one special passenger tire. As the first section is organized by rim diameter, it is much easier to locate those tires without a rim diameter on these two pages.

ASSUMPTIONS:

The volumes given in the following chart assume the tires are being sealed with ReSeal™. The use of other sealants may require different volumes.

CHART COLUMN 1: Rim Diameter

A separate column of rim diameter is included in this chart because bicycle tires, and some aircraft tires, do not include a rim diameter in their designations.

CHART COLUMN 2: Tire Designation

One of the first things you may notice is that there seems to be a lot of unnecessary spaces in the tire designations used in this chart. The actual designations used on tires do not contain most of the spaces shown. The reason for these extra spaces is to align identical attributes for each tire vertically so that their precise meanings can be more easily understood.

CHART COLUMN 3: Tire Class

The tires listed in this chart have been sorted into one of eight classes: Agriculture (AGR), Aircraft (AIR), Bicycle (CYB), Motorcycle (CYM), Industrial (IND), Off-The-Road (OTR), Passenger (PAS), and Truck & Bus (T&B).

CHART COLUMN 4: ML (cc)

The volumes shown in this column have been calculated to provide a uniform thickness of sealant for all the tires in each tire class except for passenger tires which have lower thicknesses for low aspect ratio tires to reduce the likelihood of vibration.

CHART COLUMN 5: Ounces

This column is the same as column 4 but converted to ounces.

THE CHART COLUMN HEADINGS:

The five column headings of the chart are labeled: Rim Diameter, Tire Designation, Tire Class, Volume ML (cc) and Ounces.

CHART COLUMN EXAMPLE

1	2	3	4	5
Rim Diameter	Tire Designation	Tire Class	Volume ML (cc)	Ounces
4	2.80 - 4 NHS	IND	4	
4	2.80/2.50 - 4 NHS	IND	4	
4	3.00 - 4	IND	6	
4	4.00 - 4	IND	8	
4	4.10 - 4 NHS	IND	6	

LISTS OF ABBREVIATIONS:

Abbreviations Used in Tire Prefixes:

- AT - All Terrain Tire
- B - Aircraft Tire Rim Width to Section Width Ratio Designation
- C - Aircraft Tire Rim Width to Section Width Ratio Designation
- CT - Inverted Flange Tire
- E - Energy Efficient Tire
- H - Aircraft Tire Rim Width to Section Width Ratio Designation
- LT - Light Truck Tire
- M - Motorcycle Tire
- P - Passenger Car Tire
- S - Flotation Service Tire
- T - Temporary Service (Spare) Tire

Abbreviations Used in Tire Suffixes:

- DT - OTR Tire for Desert Terrain (Sand)
- FI - Farm Implement Tires
- HC - Truck & Bus Tire for use with HC contour rims
- K - Compactor Tire
- LT - Light Truck Tire
- MH - Mobile Home Tire
- ML - Mining & Logging Tire
- M/C - 15" Diameter Motorcycle Tire for use with specific rims
- NHS - Not for Highway Service Tire
- SL - Service Limited to Agriculture Tire
- SS - Skid Steer Tire
- ST - Special Trailer Tire
- TG - Tractor / Grader Tire
- TR - Truck & Bus Tire for use with specific rims
- VA - Agricultural Tire for use with VA contour rims

Other abbreviations used in this chart:

- AGR - Agricultural Tires
- AIR - Aircraft Tires
- CYB - Bicycle Tires
- CYM - Motorcycle Tires
- IND - Industrial Tires
- OTR - Off-The-Road Tires
- PAS - Passenger Car Tires
- T&B - Truck & Bus Tires

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation				Tire Class	Volume ML(cc)	Ounces	
4			2.80/2.50		-	4	NHS	IND	180	6
4			2.80		-	4	NHS	IND	180	6
4			3.00		-	4		IND	240	8
4			4.00		-	4		IND	300	10
4			4.10		-	4	NHS	IND	240	8
4			4.10/3.50		-	4	NHS	IND	240	8
4			4.80		-	4	NHS	IND	360	12
4			5.00		-	4		AIR	180	6
4			8.00		-	4		AIR	300	10
5			3.40/3.00		-	5	NHS	IND	240	8
5			3.40		-	5	NHS	IND	240	8
5			3.50		-	5		IND	300	10
5	11	x	4.00		-	5	NHS	IND	300	10
5			4.10/3.50		-	5	NHS	IND	300	10
5			4.10		-	5	NHS	IND	300	10
5			5.00		-	5		AIR	180	6
6			4.10		-	6	NHS	IND	300	10
6			4.10/3.50		-	6	NHS	IND	300	10
6	13	x	5.00		-	6	NHS	IND	360	12
6			5.30		-	6	NHS	IND	480	16
6			5.30/4.50		-	6	NHS	IND	480	16
6	14.5	x	5.5		-	6		AIR	180	6
6			6.00		-	6		AIR	240	8
6	15	x	6.0		-	6		AIR	240	8
6	15	x	6.00		-	6	NHS	IND	540	18
6	17.5	x	6.25		-	6		AIR	240	8
6	13	x	6.50		-	6	NHS	IND	480	16
6			6.90/6.00		-	6	NHS	IND	720	24
6			6.90		-	6	NHS	IND	720	24
6			7.00		-	6		AIR	300	10
6	18	x	7/4.50F				NHS	IND	720	24

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation				Tire Class	Volume ML(cc)	Ounces
6	13	x	7.70			- 6	NHS IND	360	12
6			8.00			- 6	AIR	300	10
6			8.00			- 6	NHS IND	840	28
6	14	x	8			- 6	NHS IND	660	22
6			8.50			- 6	AIR	420	14
6			9.00			- 6	AIR	420	14
7			4.80			- 7	NHS IND	360	12
7	23.5	x	8.75			- 7	AIR	360	12
8			4.00			- 8	AGR	420	14
8			4.00			- 8	IND	480	16
8	16	x	4.4				AIR	180	6
8	15	x	4 1/2			- 8	IND	420	14
8	15	x	4 1/2			R 8	IND	420	14
8			4.80/4.00			- 8	IND	480	16
8			4.80			- 8	IND	480	16
8			4.80/4.00			- 8	NHS IND	480	16
8			4.80			- 8	NHS IND	480	16
8				125 / 75		- 8	IND	420	14
8				125 / 75	R 8		IND	420	14
8			5			- 8	AGR	480	16
8			5.00			- 8	IND	540	18
8			5.00			R 8	IND	600	20
8	16	x	5.50			- 8	NHS IND	540	18
8	18	x	5.5				AIR	240	8
8			5.70			- 8	IND	600	20
8			5.70/5.00			- 8	IND	600	20
8			5.70			- 8	NHS IND	600	20
8			5.70/5.00			- 8	NHS IND	600	20
8	17.5	x	5.75			- 8	AIR	240	8
8	18	x	5.75			- 8	AIR	240	8
8				150 / 75		- 8	IND	600	20

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation			Tire Class	Volume ML(cc)	Ounces
8			150 / 75	R	8	IND	600	20
8	16	x	6.00		- 8	IND	600	20
8	16	x	6.00		R 8	IND	600	20
8			6.50		- 8	AIR	300	10
8	16	x	6.50		- 8	NHS IND	600	20
8	16.5	x	6.5		- 8	IND	600	20
8	19.5	x	6.75		- 8	AIR	300	10
8			7.00		- 8	AIR	300	10
8	18	x	7			IND	780	26
8	18	x	7		- 8	IND	780	26
8	18	x	7		R 8	IND	780	26
8	18	x	7		- 8	NHS IND	720	24
8	AT 20	x	7		- 8	IND	840	28
8			180 / 70		- 8	IND	720	24
8			180 / 70	R	8	IND	720	24
8	16	x	7.50		- 8	NHS IND	720	24
8	22	x	8.0		- 8	AIR	360	12
8	18	x	8.50		- 8	NHS IND	840	28
8	18.5	x	8.5		- 8	IND	900	30
8	18	x	9		- 8	NHS IND	960	32
8	18	x	9.50		- 8	NHS IND	960	32
8	18.5	x	9.5		- 8	IND	960	32
8	AT 18	x	10		- 8	IND	1080	36
8	AT 20	x	10		- 8	IND	1200	40
8	AT 22	x	10		- 8	IND	1320	44
8	AT 23	x	10		- 8	IND	1380	46
8	AT 18	x	11		- 8	IND	1140	38
8	AT 20	x	11		- 8	IND	1260	42
8	21	x	11.00		- 8	NHS IND	1380	46
8	AT 21	x	11		- 8	IND	1320	44
8	22	x	11.00		- 8	NHS IND	1440	48
8	AT 22	x	11		- 8	IND	1380	46
8	AT 21	x	12		- 8	IND	1500	50
9			4.00		- 9	SL AGR	480	16

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter				Tire Designation				Tire Class	Volume ML(cc)	Ounces		
9				4.80			- 9	NHS	IND	480	16	
9				4.80/4.00			- 9	NHS	IND	480	16	
9				5.00			- 9		IND	600	20	
9				6.00			- 9		IND	780	26	
9				6.00			R 9		IND	780	26	
9				6.90/6.00			- 9		IND	840	28	
9				6.90			- 9		IND	840	28	
9				6.90			- 9	NHS	IND	840	28	
9				6.90/6.00			- 9	NHS	IND	840	28	
9	AT	20	x	7			- 9		IND	840	28	
9	AT	22	x	7			- 9		IND	900	30	
9					200	/	75	- 9		IND	960	32
9					200	/	75	R 9		IND	960	32
9		21	x	8			- 9		IND	960	32	
9		21	x	8			- 9	NHS	IND	960	32	
9	AT	21	x	8			- 9		IND	960	32	
9		21	x	9			- 9	NHS	IND	1080	36	
9	AT	18	x	11			- 9		IND	1140	38	
9	AT	20	x	11			- 9		IND	1260	42	
9	AT	22	x	11			- 9		IND	1380	46	
9	AT	25	x	12			- 9		IND	1740	58	
9	AT	24	x	13			- 9		IND	1800	60	
10		18	x	4.25			- 10		AIR	180	6	
10		18	x	4.4					AIR	180	6	
10				6.50			- 10		AIR	300	10	
10				6.50			- 10		IND	960	32	
10				6.50			R 10		IND	960	32	
10				6.50			- 10	NHS	IND	960	32	
10		22	x	6.50			- 10		AIR	300	10	
10	H	19.5	x	6.75			- 10		AIR	300	10	
10		22	x	6.75			- 10		AIR	300	10	
10	AT	21	x	7			- 10		IND	900	30	
10		21	x	7.25			- 10		AIR	300	10	
10				7.50			- 10		IND	1200	40	

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation					Tire Class	Volume ML(cc)	Ounces		
10			7.50/9.00			-	10	IND	1200	40		
10			7.50			R	10	IND	1200	40		
10			7.50	L		-	10	NHS	IND	1200	40	
10			7.50/9.00			-	10	NHS	IND	1200	40	
10			7.50			-	10	NHS	IND	1200	40	
10			7.50			-	10	SL	AGR	1140	38	
10	20	x	7.50			-	10	NHS	IND	840	28	
10	24	x	7.7					AIR	360	12		
10	22	x	7.75			-	10		AIR	360	12	
10	20	x	8.00			-	10	NHS	IND	840	28	
10	AT 20	x	8			-	10		IND	960	32	
10		20.5	x	8.0			-	10		IND	960	32
10		22	x	8.0			-	10		AIR	360	12
10	AT	22	x	8			-	10		IND	1020	34
10		23	x	8			-	10	NHS	IND	1080	36
10	AT	25	x	8			-	10		IND	1140	38
10			8.50			-	10		AIR	480	16	
10				225	/	75	-	10		IND	1200	40
10				225	/	75	R	10		IND	1200	40
10			9.00			-	10	NHS	IND	1500	50	
10			9.00	L		-	10	NHS	IND	1440	48	
10			9.00			-	10	SL	AGR	1440	48	
10	AT	22	x	9			-	10		IND	1140	38
10		23	x	9			-	10		IND	1200	40
10		27	x	9			-	10	NHS	IND	1440	48
10	AT	18	x	10			-	10		IND	1080	36
10	AT	20	x	10			-	10		IND	1200	40
10	AT	22	x	10			-	10		IND	1320	44
10	AT	18	x	11			-	10		IND	1140	38
10	AT	20	x	11			-	10		IND	1260	42
10	AT	22	x	11			-	10		IND	1380	46
10	AT	24	x	11			-	10		IND	1500	50
10		29	x	11.0			-	10		AIR	660	22
10	AT	25	x	12			-	10		IND	1740	58
10			15	L		-	10	NHS	IND	2340	78	
10		27	x	15			-	10	NHS	IND	2340	78
10.5	B	24	x	9.5			-	10.5		AIR	480	16

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter				Tire Designation				Tire Class	Volume ML(cc)	Ounces
11	AT	23	x	8		-	11	IND	1080	36
11	AT	24	x	8		-	11	IND	1140	38
11	AT	24	x	9		-	11	IND	1260	42
11				10.00		-	11	AIR	600	20
12				4.00		-	12	SL AGR	540	18
12				4.50		-	12	IND	660	22
12				4.80/4.00		-	12	IND	600	20
12				4.80		-	12	IND	600	20
12				4.80		-	12	NHS IND	600	20
12				4.80/4.00		-	12	NHS IND	600	20
12				5		-	12	AGR	600	20
12				5.30/4.50		-	12	IND	660	22
12				5.30		-	12	IND	660	22
12				5.30/4.50		-	12	NHS IND	660	22
12				5.30		-	12	NHS IND	660	22
12				5.70		-	12	NHS IND	780	26
12	P			145 / 80		-	12	PAS	240	8
12	P			145 / 80	R		12	PAS	240	8
12		22	x	5.75		-	12	AIR	240	8
12				6		-	12	AGR	780	26
12	P			155 / 80		-	12	PAS	300	10
12	P			155 / 80	R		12	PAS	300	10
12	P			165 / 70		-	12	PAS	300	10
12	P			165 / 70	R		12	PAS	300	10
12				7.00		-	12	NHS IND	1200	40
12				7.00		R	12	NHS IND	1140	38
12		23	x	7.0		-	12	AIR	360	12
12		24	x	7.25		-	12	AIR	360	12
12		22	x	7.50		-	12	NHS IND	1020	34
12		22	x	8.00		-	12	NHS IND	1020	34
12		23	x	8		-	12	NHS IND	1080	36
12				8.25		-	12	IND	1440	48
12		23	x	8.50		-	12	IND	1080	36

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation					Tire Class	Volume ML(cc)	Ounces	
12		23	x	8.50			- 12	NHS	IND	1080	36
12		23.5	x	8.5			- 12		IND	1140	38
12	C	24.5	x	8.5			- 12		AIR	420	14
12		23	x	9			- 12	NHS	IND	1200	40
12		28	x	9.0			- 12		AIR	540	18
12		23	x	9.50			- 12	NHS	IND	1320	44
12				250 /	75		- 12		IND	1560	52
12				250 /	75	R	12		IND	1560	52
12		23	x	10			- 12	NHS	IND	1380	46
12		27	x	10			- 12		IND	1560	52
12		27	x	10			- 12	NHS	IND	1560	52
12		23	x	10.50			- 12	NHS	IND	1380	46
12				11.00			- 12		AIR	780	26
12		23.5	x	11			- 12	NHS	IND	1500	50
12		24	x	12			- 12	NHS	IND	1680	56
12		25	x	12			- 12	NHS	IND	1740	58
12		26	x	12.00			- 12	NHS	IND	1800	60
12	H	31	x	13.0			- 12		AIR	780	26
12				15.00			- 12		AIR	1020	34
12.31		16	x	1.75					CYB	120	4
12.31		16	x	2.125					CYB	180	6
12.48		16	x	1 3/4					CYB	120	4
12.50				8.90			- 12.50		AIR	480	16
13		21	x	4					IND	600	20
13	T			105 /	80		- 13		PAS	180	6
13	T			105 /	80	R	13		PAS	180	6
13		22	x	4 1/2					IND	780	26
13	T			125 /	80		- 13		PAS	240	8
13	T			125 /	80	R	13		PAS	240	8
13		23	x	5					IND	900	30
13	P			145 /	80		- 13		PAS	300	10
13	P			145 /	80	R	13		PAS	300	10
13		25	x	6					IND	1020	34
13	P			155 /	70		- 13		PAS	300	10

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter				Tire Designation					Tire Class	Volume ML(cc)	Ounces	
13	P			155	/	70	R	13	PAS	300	10	
13	P			155	/	80	-	13	PAS	300	10	
13	P			155	/	80	R	13	PAS	300	10	
13	P			165	/	65	R	13	PAS	300	10	
13	P			165	/	70	-	13	PAS	300	10	
13	P			165	/	70	R	13	PAS	300	10	
13	P			165	/	75	-	13	PAS	300	10	
13	P			165	/	75	R	13	PAS	300	10	
13	P			165	/	80	-	13	PAS	300	10	
13	P			165	/	80	R	13	PAS	300	10	
13			6.50				-	13	ST	T&B	360	12
13			A			78	-	13	PAS	300	10	
13			A			78	-	13	ST	T&B	300	10
13				B	R	78	-	13	PAS	360	12	
13	P			175	/	70	-	13	PAS	300	10	
13	P			175	/	70	R	13	PAS	300	10	
13	LT			175	/	75	-	13	T&B	360	12	
13	LT			175	/	75	R	13	T&B	360	12	
13	P			175	/	75	-	13	PAS	360	12	
13	P			175	/	75	R	13	PAS	360	12	
13	P			175	/	80	-	13	PAS	360	12	
13	P			175	/	80	R	13	PAS	360	12	
13	ST			175	/	80	R	13	T&B	360	12	
13				B		78	-	13	PAS	360	12	
13				B		78	-	13	ST	T&B	360	12
13				A		70	-	13	PAS	360	12	
13				C		78	-	13	PAS	360	12	
13				C		78	-	13	ST	T&B	360	12
13	P			185	/	60	-	13	PAS	300	10	
13	P			185	/	60	R	13	PAS	300	10	
13	P			185	/	70	-	13	PAS	360	12	
13	P			185	/	70	R	13	PAS	360	12	
13	P			185	/	75	-	13	PAS	360	12	
13	P			185	/	75	R	13	PAS	360	12	
13	P			185	/	80	-	13	PAS	360	12	
13	P			185	/	80	R	13	PAS	360	12	
13	ST			185	/	80	R	13	T&B	360	12	

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter				Tire Designation					Tire Class	Volume ML(cc)	Ounces
13				B	70	-	13	PAS	360	12	
13	24	x	7.50			-	13	LT T&B	360	12	
13	24	x	7.50			R	13	LT T&B	360	12	
13				B	R 70	-	13	PAS	360	12	
13	P			195	/	60	-	13	PAS	360	12
13	P			195	/	60	R	13	PAS	360	12
13	P			195	/	65	R	13	PAS	360	12
13	P			195	/	70	-	13	PAS	360	12
13	P			195	/	70	R	13	PAS	360	12
13				D	78	-	13	PAS	360	12	
13				A	60	-	13	PAS	360	12	
13	P			205	/	60	-	13	PAS	360	12
13	P			205	/	60	R	13	PAS	360	12
13	P			205	/	70	-	13	PAS	420	14
13	P			205	/	70	R	13	PAS	420	14
13				B	60	-	13	PAS	420	14	
13				B	R 60	-	13	PAS	420	14	
13	P			215	/	50	-	13	PAS	360	12
13	P			215	/	50	R	13	PAS	360	12
13	P			215	/	60	-	13	PAS	420	14
13	P			215	/	60	R	13	PAS	420	14
13	P			225	/	75	-	13	PAS	420	14
13	P			225	/	75	R	13	PAS	420	14
13				B	50	-	13	PAS	420	14	
13	P			235	/	50	-	13	PAS	420	14
13	P			235	/	50	R	13	PAS	420	14
13	P			235	/	60	-	13	PAS	420	14
13	P			235	/	60	R	13	PAS	420	14
13	P			245	/	50	-	13	PAS	420	14
13	P			245	/	50	R	13	PAS	420	14
13	H	31	x	9.75	/		-	13	AIR	600	20
14	M			90	/	100	-	14	CYM	180	6
14	T			105	/	70	-	14	PAS	180	6
14	T			105	/	70	R	14	PAS	180	6

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter				Tire Designation					Tire Class	Volume ML(cc)	Ounces
14	T			115	/	70	-	14	PAS	240	8
14	T			115	/	70	R	14	PAS	240	8
14	T			125	/	70	-	14	PAS	240	8
14	T			125	/	70	R	14	PAS	240	8
14	T			135	/	70	-	14	PAS	240	8
14	T			135	/	70	R	14	PAS	240	8
14	T			135	/	80	-	14	PAS	240	8
14	T			135	/	80	R	14	PAS	240	8
14			6.00				-	14	SL AGR	1020	34
14	E			165	/	65	R	14	PAS	300	10
14	P			165	/	80	-	14	PAS	300	10
14	P			165	/	80	R	14	PAS	300	10
14		26	x	6.6					AIR	360	12
14						78	-	14	PAS	360	12
14		25.75	x	6.75			-	14	AIR	360	12
14		26	x	6.75			-	14	AIR	360	12
14	P			175	/	60	-	14	PAS	300	10
14	P			175	/	60	R	14	PAS	300	10
14	E			175	/	65	R	14	PAS	360	12
14	P			175	/	65	R	14	PAS	360	12
14	P			175	/	70	-	14	PAS	360	12
14	P			175	/	70	R	14	PAS	360	12
14	LT			175	/	75	-	14	T&B	360	12
14	LT			175	/	75	R	14	T&B	360	12
14	P			175	/	75	-	14	PAS	360	12
14	P			175	/	75	R	14	PAS	360	12
14	P			175	/	80	-	14	PAS	360	12
14	P			175	/	80	R	14	PAS	360	12
14			7.00				-	14	LT T&B	420	14
14			7.00				R	14	LT T&B	420	14
14				C		78	-	14	PAS	360	12
14				D	R	78	-	14	PAS	360	12
14	P			185	/	60	-	14	PAS	360	12
14	P			185	/	60	R	14	PAS	360	12
14	P			185	/	65	R	14	PAS	360	12
14	P			185	/	70	-	14	PAS	360	12
14	P			185	/	70	R	14	PAS	360	12

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter				Tire Designation					Tire Class	Volume ML(cc)	Ounces	
14	LT			185	/	75	-	14	T&B	360	12	
14	LT			185	/	75	R	14	T&B	360	12	
14	P			185	/	75	-	14	PAS	360	12	
14	P			185	/	75	R	14	PAS	360	12	
14	P			185	/	80	-	14	PAS	360	12	
14	P			185	/	80	R	14	PAS	360	12	
14				D		78	-	14	PAS	360	12	
14				E	R	78	-	14	PAS	360	12	
14				7.50			-	14	AIR	420	14	
14				7.50			-	14	SL	AGR	1140	38
14				E		78	-	14	PAS	420	14	
14	P			195	/	60	-	14	PAS	360	12	
14	P			195	/	60	R	14	PAS	360	12	
14	P			195	/	65	R	14	PAS	420	14	
14	E			195	/	70	R	14	PAS	420	14	
14	P			195	/	70	-	14	PAS	420	14	
14	P			195	/	70	R	14	PAS	420	14	
14	LT			195	/	75	-	14	T&B	420	14	
14	LT			195	/	75	R	14	T&B	420	14	
14	P			195	/	75	-	14	PAS	420	14	
14	P			195	/	75	R	14	PAS	420	14	
14				E		78	-	14	ST	T&B	420	14
14				D		70	-	14	PAS	420	14	
14				F	R	78	-	14	PAS	420	14	
14				E	R	78	-	14	LT	T&B	420	14
14				E		78	-	14	LT	T&B	420	14
14				7.9			-	14	LT	T&B	420	14
14				F		78	-	14	PAS	420	14	
14				F		78	-	14	ST	T&B	420	14
14	H	26.5	x	8.0			-	14	AIR	420	14	
14				E		70	-	14	PAS	420	14	
14	P			205	/	60	-	14	PAS	360	12	
14	P			205	/	60	R	14	PAS	360	12	
14	P			205	/	70	-	14	PAS	360	12	
14	P			205	/	70	R	14	PAS	360	12	
14	P			205	/	75	-	14	PAS	420	14	
14	P			205	/	75	R	14	PAS	420	14	

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation					Tire Class	Volume ML(cc)	Ounces	
14	ST		205	/	75	R	14	T&B	420	14	
14			E	R	70	-	14	PAS	420	14	
14			F		70	-	14	PAS	420	14	
14			F		70	-	14	ST	T&B	420	14
14			G	R	78	-	14	PAS	420	14	
14			G		78	-	14	PAS	480	16	
14			G		78	-	14	LT	T&B	480	16
14			G		78	-	14	ST	T&B	480	16
14	P		215	/	60	-	14	PAS	420	14	
14	P		215	/	60	R	14	PAS	420	14	
14	P		215	/	65	R	14	PAS	420	14	
14	P		215	/	70	-	14	PAS	420	14	
14	P		215	/	70	R	14	PAS	420	14	
14	LT		215	/	75	-	14	T&B	480	16	
14	LT		215	/	75	R	14	T&B	480	16	
14	P		215	/	75	-	14	PAS	480	16	
14	P		215	/	75	R	14	PAS	480	16	
14	ST		215	/	75	R	14	T&B	480	16	
14			8.5			R	14	LT	T&B	420	14
14			8.5		L	-	14	SL	AGR	1380	46
14	26	x	8.50			-	14	LT	T&B	420	14
14	26	x	8.50			R	14	LT	T&B	420	14
14	27	x	8.50			-	14	LT	T&B	480	16
14	27	x	8.50			R	14	LT	T&B	480	16
14			F	R	70	-	14	PAS	480	16	
14			H		78	-	14	PAS	480	16	
14			H		78	-	14	ST	T&B	480	16
14			G		70	-	14	PAS	480	16	
14			G	R	70	-	14	PAS	480	16	
14	P		225	/	60	-	14	PAS	420	14	
14	P		225	/	60	R	14	PAS	420	14	
14	P		225	/	70	-	14	PAS	480	16	
14	P		225	/	70	R	14	PAS	480	16	
14	P		225	/	75	-	14	PAS	480	16	
14	P		225	/	75	R	14	PAS	480	16	
14			9			-	14	LT	T&B	540	18
14			E		60	-	14	PAS	480	16	

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation					Tire Class	Volume ML(cc)	Ounces
14			E	R	60	-	14	PAS	480	16
14			H		70	-	14	PAS	480	16
14			H		70	-	14	ST T&B	480	16
14	P		235	/	60	-	14	PAS	480	16
14	P		235	/	60	R	14	PAS	480	16
14	P		235	/	70	-	14	PAS	480	16
14	P		235	/	70	R	14	PAS	480	16
14			F	R	60	-	14	PAS	480	16
14			9.5		L	-	14	SL AGR	1680	56
14	27	x	9.50			-	14	LT T&B	480	16
14	27	x	9.50			R	14	LT T&B	480	16
14	29	x	9.50			-	14	LT T&B	540	18
14	29	x	9.50			R	14	LT T&B	540	18
14			F		60	-	14	PAS	480	16
14	P		245	/	50	-	14	PAS	480	16
14	P		245	/	50	R	14	PAS	480	16
14	P		245	/	60	-	14	PAS	480	16
14	P		245	/	60	R	14	PAS	480	16
14	P		245	/	70	-	14	PAS	540	18
14	P		245	/	70	R	14	PAS	540	18
14			G	R	60	-	14	PAS	480	16
14			G		60	-	14	PAS	480	16
14	P		255	/	55	R	14	PAS	480	16
14	P		255	/	60	-	14	PAS	540	18
14	P		255	/	60	R	14	PAS	540	18
14	P		265	/	50	-	14	PAS	540	18
14	P		265	/	50	R	14	PAS	540	18
14	P		265	/	60	-	14	PAS	540	18
14	P		265	/	60	R	14	PAS	540	18
14	P		275	/	60	-	14	PAS	600	20
14	P		275	/	60	R	14	PAS	600	20
14			G		50	-	14	PAS	540	18
14			11			-	14	LT T&B	660	22
14			11		L	-	14	SL AGR	1860	62
14	34	x	11					AIR	720	24
14			L		60	-	14	PAS	600	20
14			M		50	-	14	PAS	660	22

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation				Tire Class	Volume ML(cc)	Ounces
14	37	x	14.0			- 14	AIR	1020	34
14.31	18	x	1.625				CYB	120	4
14.5			7			- 14.5	LT T&B	420	14
14.5			7			- 14.5	MH T&B	420	14
14.5			8			- 14.5	LT T&B	420	14
14.5			8			- 14.5	MH T&B	420	14
14.5			9			- 14.5	LT T&B	540	18
14.5			9			- 14.5	MH T&B	540	18
15			4.00			- 15	SL AGR	660	22
15	T		105 / 70			- 15	PAS	180	6
15	T		105 / 70	R		15	PAS	180	6
15	T		115 / 70			- 15	PAS	240	8
15	T		115 / 70	R		15	PAS	240	8
15	T		125 / 70			- 15	PAS	240	8
15	T		125 / 70	R		15	PAS	240	8
15	T		125 / 90			- 15	PAS	240	8
15	T		125 / 90	R		15	PAS	240	8
15			5.00			- 15	SL AGR	780	26
15	T		135 / 70			- 15	PAS	240	8
15	T		135 / 70	R		15	PAS	240	8
15	T		135 / 80			- 15	PAS	300	10
15	T		135 / 80	R		15	PAS	300	10
15	T		135 / 90			- 15	PAS	300	10
15	T		135 / 90	R		15	PAS	300	10
15			5.50			- 15	IND	960	32
15	M		140 / 80			- 15	M/C CYM	300	10
15	M		140 / 90			- 15	M/C CYM	300	10
15	M		140 / 90	R		15	M/C CYM	300	10
15	M		U 90			- 15	M/C CYM	300	10
15			5.70			- 15	NHS IND	840	28
15			5.90			- 15	SL AGR	960	32
15	M		V 85			- 15	M/C CYM	300	10
15	M		V 90			- 15	M/C CYM	360	12
15	M		150 / 90	R		15	M/C CYM	360	12

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation					Tire Class	Volume ML(cc)	Ounces
15			6.00			-	15	IND	1020	34
15			6.10			-	15 LT	T&B	300	10
15			6.10			R	15 LT	T&B	300	10
15	P		155	/	80	-	15	PAS	300	10
15	P		155	/	80	R	15	PAS	300	10
15			A		78	-	15	PAS	300	10
15			6.40			-	15 SL	AGR	1020	34
15	P		165	/	80	-	15	PAS	360	12
15	P		165	/	80	R	15	PAS	360	12
15	M		170	/	70	-	15 M/C	CYM	360	12
15	M		170	/	80	-	15 M/C	CYM	360	12
15	M		170	/	80	R	15 M/C	CYM	360	12
15			6.70			-	15 LT	T&B	420	14
15			6.70			R	15 LT	T&B	420	14
15			6.70			-	15 SL	AGR	1080	36
15			7.00			-	15	IND	1320	44
15			7.00			R	15	IND	1320	44
15			7.00			-	15 LT	T&B	480	16
15			7.00			R	15 LT	T&B	480	16
15			7.00	L		-	15 NHS	IND	1320	44
15			7.00			-	15 NHS	IND	1380	46
15			7.00			-	15 SS	IND	1380	46
15			7.00			-	15 TR	T&B	480	16
15			7.00			R	15 TR	T&B	480	16
15			7.10			-	15 LT	T&B	480	16
15			7.10			R	15 LT	T&B	480	16
15	P		185	/	60	-	15	PAS	360	12
15	P		185	/	60	R	15	PAS	360	12
15	P		185	/	65	R	15	PAS	360	12
15	P		185	/	70	-	15	PAS	360	12
15	P		185	/	70	R	15	PAS	360	12
15			E		78	-	15	PAS	420	14
15			E		78	-	15 ST	T&B	420	14
15			7.50		78	-	15	IND	1500	50
15			7.50			R	15	IND	1440	48
15			7.50			-	15 LT	T&B	540	18
15			7.50			R	15 LT	T&B	540	18

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation				Tire Class	Volume ML(cc)	Ounces	
15			7.50			- 15 30	NHS IND	1380	46	
15			7.50			- 15	NHS OTR	1560	52	
15			7.50			- 15	NHS IND	1560	52	
15			7.5	L		- 15	SL AGR	1380	46	
15			7.50			- 15	TR T&B	540	18	
15			7.50			R 15	TR T&B	540	18	
15	25	x	7.50			- 15	NHS A&I	1140	38	
15			7.60			- 15	SL AGR	1320	44	
15	P			195 /	50	- 15		PAS	360	12
15	P			195 /	50	R 15		PAS	360	12
15	P			195 /	60	- 15		PAS	360	12
15	P			195 /	60	R 15		PAS	360	12
15	P			195 /	65	R 15		PAS	420	14
15	P			195 /	70	- 15		PAS	420	14
15	P			195 /	70	R 15		PAS	420	14
15	LT			195 /	75	- 15		T&B	420	14
15	LT			195 /	75	R 15		T&B	420	14
15	P			195 /	75	- 15		PAS	420	14
15	P			195 /	75	R 15		PAS	420	14
15	P			195 /	80	- 15		PAS	420	14
15	P			195 /	80	R 15		PAS	420	14
15				F R	78	- 15		PAS	420	14
15				F	78	- 15		PAS	420	14
15	29	x	7.7			-		AIR	420	14
15			7.75			- 15	ST T&B	420	14	
15				F	78	- 15	ST T&B	420	14	
15	27	x	7.75			- 15		AIR	420	14
15	28	x	8			- 15		IND	1320	44
15	29	x	8			- 15	NHS IND	1320	44	
15	30	x	8			- 15	NHS IND	1380	46	
15				G	78	- 15		PAS	420	14
15				G	78	- 15	ST T&B	420	14	
15	P		205	/	50	- 15		PAS	360	12
15	P		205	/	50	R 15		PAS	360	12
15	P		205	/	55	R 15		PAS	360	12
15	P		205	/	60	- 15		PAS	420	14
15	P		205	/	60	R 15		PAS	420	14

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation					Tire Class	Volume ML(cc)	Ounces		
15	P		205	/	65	R	15	PAS	420	14		
15			205	/	70	R	15	IND	1260	42		
15	P		205	/	70	-	15	PAS	420	14		
15	P		205	/	70	R	15	PAS	420	14		
15	LT		205	/	75	-	15	T&B	420	14		
15	LT		205	/	75	R	15	T&B	420	14		
15	P		205	/	75	-	15	PAS	420	14		
15	P		205	/	75	R	15	PAS	420	14		
15	ST		205	/	75	R	15	T&B	420	14		
15			8.15			-	15	IND	1380	46		
15			8.15			-	15	NHS	IND	1440	48	
15				G	R	78	-	15	PAS	480	16	
15			8.25			-	15	IND	1800	60		
15			8.25			R	15	IND	1740	58		
15			8.25			-	15	NHS	IND	1800	60	
15			8.25			-	15	SS	IND	1740	58	
15			8.25			-	15	TR	T&B	600	20	
15			8.25			R	15	TR	T&B	600	20	
15				F		70	-	15	PAS	480	16	
15				G		78	-	15	LT	T&B	480	16
15				G	R	78	-	15	LT	T&B	480	16
15				H	R	78	-	15	PAS	480	16	
15	P		215	/	60	-	15	PAS	420	14		
15	P		215	/	60	R	15	PAS	420	14		
15	P		215	/	65	R	15	PAS	420	14		
15	P		215	/	70	-	15	PAS	480	16		
15	P		215	/	70	R	15	PAS	480	16		
15	LT		215	/	75	-	15	T&B	480	16		
15	LT		215	/	75	R	15	T&B	480	16		
15	P		215	/	75	-	15	PAS	480	16		
15	P		215	/	75	R	15	PAS	480	16		
15			8.5	/	90	-	15	K	OTR	1560	52	
15	27	x	8.50			-	15	NHS	AGR	1320	44	
15	27	x	8.50			-	15	NHS	IND	1320	44	
15	28	x	8.50			-	15	LT	T&B	480	16	
15	28	x	8.50			R	15	LT	T&B	480	16	
15			8.55			-	15	ST	T&B	480	16	

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter				Tire Designation					Tire Class	Volume ML(cc)	Ounces
15				H	78	-	15	PAS	480	16	
15				H	78	-	15	ST T&B	480	16	
15				G	70	-	15	PAS	480	16	
15				J R	78	-	15	PAS	480	16	
15	30	x		G R	70	-	15	PAS	480	16	
15				J	78	-	15	PAS	480	16	
15				H	78	-	15	LT T&B	480	16	
15				H R	78	-	15	LT T&B	480	16	
15	30	x	8.8			R	15	AIR	600	20	
15			L		78	-	15	PAS	540	18	
15	P		225	/	50	-	15	PAS	420	14	
15	P		225	/	50	R	15	PAS	420	14	
15	P		225	/	55	R	15	PAS	420	14	
15	P		225	/	60	-	15	PAS	480	16	
15	P		225	/	60	R	15	PAS	480	16	
15	P		225	/	65	R	15	PAS	480	16	
15	P		225	/	70	-	15	PAS	480	16	
15	P		225	/	70	R	15	PAS	480	16	
15			225	/	75	R	15	IND	1500	50	
15	P		225	/	75	-	15	PAS	480	16	
15	P		225	/	75	R	15	PAS	480	16	
15	ST		225	/	75	R	15	T&B	480	16	
15			H		70	-	15	PAS	480	16	
15			9.00			-	15	DT OTR	1800	60	
15			9			R	15	DT OTR	1800	60	
15			9			-	15	LT T&B	600	20	
15			9			R	15	LT T&B	600	20	
15			9.00			-	15	NHS IND	2160	72	
15			9.00			-	15	TR T&B	720	24	
15			9.00			R	15	TR T&B	720	24	
15				L R	78	-	15	PAS	540	18	
15	28	x	9			-	15	IND	1380	46	
15	28	x	9			-	15	NHS IND	1380	46	
15				F	60	-	15	PAS	480	16	
15			H		R	70	-	15	PAS	540	18
15	P			235	/	60	-	15	PAS	480	16
15	P			235	/	60	R	15	PAS	480	16

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter				Tire Designation					Tire Class	Volume ML(cc)	Ounces	
15	P			235	/	65	R	15	PAS	480	16	
15	P			235	/	70	-	15	PAS	540	18	
15	P			235	/	70	R	15	PAS	540	18	
15	LT			235	/	75	-	15	T&B	540	18	
15	LT			235	/	75	R	15	T&B	540	18	
15	P			235	/	75	-	15	PAS	540	18	
15	P			235	/	75	R	15	PAS	540	18	
15				L	R	78	-	15	LT	T&B	540	18
15				L		78	-	15	LT	T&B	540	18
15				K		70	-	15	PAS	540	18	
15			9.50				-	15	FI	AGR	1380	46
15			9.5	L			-	15	FI	AGR	1740	58
15			9.5	L			-	15	SL	AGR	1740	58
15				G	R	60	-	15	PAS	480	16	
15	27	x	9.50				-	15	LT	T&B	480	16
15	27	x	9.50				R	15	LT	T&B	480	16
15	27	x	9.50				-	15	NHS	A&I	1380	46
15	29	x	9.50				-	15	LT	T&B	540	18
15	29	x	9.50				R	15	LT	T&B	540	18
15	30	x	9.50				-	15	LT	T&B	540	18
15	30	x	9.50				R	15	LT	T&B	540	18
15			9.60				-	15	SL	AGR	600	20
15				L		70	-	15	PAS	540	18	
15	P			245	/	50	-	15	PAS	480	16	
15	P			245	/	50	R	15	PAS	480	16	
15	P			245	/	60	-	15	PAS	540	18	
15	P			245	/	60	R	15	PAS	540	18	
15	P			245	/	65	R	15	PAS	540	18	
15	P			245	/	70	-	15	PAS	540	18	
15	P			245	/	70	R	15	PAS	540	18	
15				L	R	70	-	15	PAS	540	18	
15				G		60	-	15	PAS	540	18	
15				N		78	-	15	PAS	600	20	
15				250			-	15	IND	1620	54	
15				250			-	15	NHS	IND	1680	56
15				250	/	70	-	15	IND	1680	56	
15				250	/	70	R	15	IND	1680	56	

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation					Tire Class	Volume ML(cc)	Ounces	
15			10.00			-	15	IND	2220	74	
15			10.00			R	15	IND	2220	74	
15			10			-	15	LT	600	20	
15			10	L		R	15	LT	600	20	
15			10.00			-	15	NHS	2280	76	
15			10.00			-	15	NHS	2400	80	
15			10.00			-	15	SL	2100	70	
15			10.00			-	15	TR	780	26	
15			10.00			R	15	TR	780	26	
15	29	x	10			-	15	NHS	1680	56	
15	P			255 /	55	R	15	PAS	540	18	
15	P			255 /	60	-	15	PAS	540	18	
15	P			255 /	60	R	15	PAS	540	18	
15	P			255 /	65	R	15	PAS	540	18	
15	P			255 /	70	-	15	PAS	600	20	
15	P			255 /	70	R	15	PAS	600	20	
15	LT			255 /	75	-	15	T&B	600	20	
15	LT			255 /	75	R	15	T&B	600	20	
15				H	R	60	-	15	PAS	540	18
15				H		60	-	15	PAS	540	18
15				G		50	-	15	PAS	540	18
15	P			265 /	50	-	15	PAS	540	18	
15	P			265 /	50	R	15	PAS	540	18	
15	P			265 /	60	-	15	PAS	600	20	
15	P			265 /	60	R	15	PAS	600	20	
15	P			265 /	75	-	15	PAS	660	22	
15	P			265 /	75	R	15	PAS	660	22	
15				L		60	-	15	PAS	600	20
15				L	R	60	-	15	PAS	600	20
15	27	x	10.50			-	15	NHS	1560	52	
15	31	x	10.50			-	15	LT	660	22	
15	31	x	10.50			R	15	LT	660	22	
15	33	x	10.50			-	15	LT	660	22	
15	33	x	10.50			R	15	LT	660	22	
15	P			275 /	50	-	15	PAS	540	18	
15	P			275 /	50	R	15	PAS	540	18	
15	P			275 /	60	-	15	PAS	600	20	

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation						Tire Class	Volume ML(cc)	Ounces
15	P		275	/	60	R	15	PAS	600	20	
15			11	L		-	15	FI	1920	64	
15			11			-	15	LT	660	22	
15			11			R	15	LT	660	22	
15			11.00			-	15	NHS	2520	84	
15			11	L		-	15	SL	2040	68	
15			11.00			-	15	TR	840	28	
15			11.00			R	15	TR	840	28	
15		36	x 11			-	15	NHS	2280	76	
15	P			285	/	70	-	15	PAS	660	22
15	P			285	/	70	R	15	PAS	660	22
15		31	x 11.50			-	15	LT	660	22	
15		31	x 11.50			R	15	LT	660	22	
15		32	x 11.5			-	15	AIR	720	24	
15		32	x 11.50			-	15	LT	720	24	
15		32	x 11.50			R	15	LT	720	24	
15	P			295	/	50	-	15	PAS	600	20
15	P			295	/	50	R	15	PAS	600	20
15				300		-	15	IND	2220	74	
15				300		-	15	NHS	2220	74	
15			12			-	15	LT	780	26	
15			12			R	15	LT	780	26	
15		28	x 12			-	15	NHS	1920	64	
15		32	x 12			-	15	NHS	2220	74	
15				315	/	70	R	15	IND	2220	74
15			12.5	L		-	15	FI	2340	78	
15			12.5	L		-	15	SL	2340	78	
15		25	x 12.50			-	15	NHS	1740	58	
15		29	x 12.50			-	15	NHS	2040	68	
15		31	x 12.50			-	15	NHS	2160	72	
15		33	x 12.50			-	15	LT	780	26	
15		33	x 12.50			R	15	LT	780	26	
15		33	x 12.50			-	15	NHS	2340	78	
15		35	x 12.50			-	15	LT	840	28	
15		35	x 12.50			R	15	LT	840	28	
15		36	x 12.50			-	15	LT	840	28	
15		36	x 12.50			R	15	LT	840	28	

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation					Tire Class	Volume ML(cc)	Ounces	
15		37	x	12.50			- 15	LT	T&B	900	30
15		37	x	12.50			R 15	LT	T&B	900	30
15				N	50		- 15		PAS	660	22
15	P			325	/	50	- 15		PAS	720	24
15	P			325	/	50	R 15		PAS	720	24
15		28	x	13			- 15	NHS	IND	2100	70
15				13.50			- 15	FI	AGR	2400	80
15		31	x	13.50			- 15	LT	T&B	780	26
15		31	x	13.50			R 15	LT	T&B	780	26
15		31	x	13.50			- 15	NHS	AGR	2400	80
15		36	x	13.50			- 15	NHS	AGR	2820	94
15				355	/	65	- 15		IND	2640	88
15	H	37	x	14.0			- 15		AIR	1020	34
15				14.50	L		- 15	NHS	IND	2940	98
15		35	x	14.50			- 15	LT	T&B	960	32
15		35	x	14.50			R 15	LT	T&B	960	32
15		36	x	14.50			- 15	LT	T&B	1020	34
15		36	x	14.50			R 15	LT	T&B	1020	34
15		37	x	14.50			- 15	LT	T&B	1020	34
15		37	x	14.50			R 15	LT	T&B	1020	34
15	S			375	/	60	- 15		PAS	960	32
15	S			375	/	60	R 15		PAS	960	32
15		32	x	15			- 15	NHS	IND	2640	88
15		35	x	15			- 15	NHS	IND	3000	100
15		31	x	15.50			- 15	LT	T&B	900	30
15		31	x	15.50			R 15	LT	T&B	900	30
15		31	x	15.50			- 15	NHS	AGR	2760	92
15		39	x	15.50			- 15	LT	T&B	1140	38
15		39	x	15.50			R 15	LT	T&B	1140	38
16	M			2.50			- 16		CYM	120	4
16	M			2.75			- 16		CYM	180	6
16	M			70	/	90	- 16		CYM	120	4
16	M			70	/	100	- 16		CYM	180	6
16	M			3.00			- 16		CYM	180	6

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter				Tire Designation					Tire Class	Volume ML(cc)	Ounces
16	M			80	/	90	-	16	CYM	180	6
16	M			80	/	100	-	16	CYM	180	6
16	M		3.25				-	16	CYM	180	6
16	M		3.50				-	16	CYM	180	6
16	M			90	/	90	-	16	CYM	180	6
16	M			90	/	100	-	16	CYM	180	6
16	M			100	/	80	-	16	CYM	240	8
16	M			100	/	90	-	16	CYM	240	8
16	M			100	/	100	-	16	CYM	240	8
16	T			105	/	70	-	16	PAS	240	8
16	T			105	/	70	R	16	PAS	240	8
16	M			P		75	-	16	CYM	180	6
16	M			110	/	80	-	16	CYM	240	8
16	M			110	/	80	R	16	CYM	240	8
16	M			110	/	90	-	16	CYM	240	8
16	T			115	/	70	-	16	PAS	240	8
16	T			115	/	70	R	16	PAS	240	8
16	M		4.60				-	16	CYM	240	8
16	M			120	/	70	-	16	CYM	240	8
16	M			120	/	80	-	16	CYM	240	8
16	M			120	/	80	R	16	CYM	240	8
16	M			120	/	90	-	16	CYM	240	8
16	M			R		85	-	16	CYM	240	8
16	T			125	/	70	-	16	PAS	240	8
16	T			125	/	70	R	16	PAS	240	8
16	T			125	/	80	-	16	PAS	240	8
16	T			125	/	80	R	16	PAS	240	8
16	T			125	/	90	-	16	PAS	300	10
16	T			125	/	90	R	16	PAS	300	10
16	M		5.00				-	16	CYM	300	10
16	M			130	/	60	R	16	CYM	240	8
16	M			130	/	70	-	16	CYM	300	10
16	M			130	/	70	R	16	CYM	300	10
16	M			130	/	80	-	16	CYM	300	10
16	M			130	/	90	-	15	CYM	300	10
16	M			130	/	90	-	16	CYM	300	10
16	M			130	/	100	-	16	CYM	300	10

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation				Tire Class	Volume ML(cc)	Ounces
16	M		T	90	-	16	CYM	300	10
16	T		135 /	70	-	16	PAS	300	10
16	T		135 /	70	R	16	PAS	300	10
16			5.50		-	16	SL AGR	960	32
16	M		140 /	80	-	16	CYM	300	10
16	M		140 /	90	-	16	CYM	300	10
16	M		140 /	90	R	16	CYM	300	10
16	M		U	90	-	16	CYM	300	10
16	T		145 /	80	-	16	PAS	300	10
16	T		145 /	80	R	16	PAS	300	10
16	T		145 /	90	-	16	PAS	300	10
16	T		145 /	90	R	16	PAS	300	10
16	M		150 /	80	-	16	CYM	360	12
16	M		150 /	80	R	16	CYM	360	12
16	M		150 /	90	-	16	CYM	360	12
16			6		-	16	AGR	960	32
16			6.00		-	16	LT T&B	420	14
16			6.00		R	16	LT T&B	420	14
16			6.00		-	16	NHS IND	1020	34
16			6.00		-	16	SL AGR	1080	36
16	P		155 /	80	D	16	PAS	300	10
16	T		155 /	80	-	16	PAS	300	10
16	T		155 /	80	R	16	PAS	300	10
16	T		155 /	90	-	16	PAS	360	12
16	T		155 /	90	R	16	PAS	360	12
16	M		160 /	60	R	16	CYM	360	12
16	M		160 /	70	-	16	CYM	360	12
16	M		160 /	70	R	16	CYM	360	12
16	M		160 /	80	-	16	CYM	360	12
16	M		160 /	80	R	16	CYM	360	12
16			6.50		-	16	LT T&B	420	14
16			6.50		R	16	LT T&B	420	14
16			6.50		-	16	SL AGR	1200	40
16			7.00		-	16	IND	1380	46
16			7.00		-	16	LT T&B	480	16
16			7.00		R	16	LT T&B	480	16
16			7.00		-	16	ML T&B	960	32

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation				Tire Class	Volume ML(cc)	Ounces
16			7.50			- 16	IND	1500	50
16			7.50			- 16	LT T&B	540	18
16			7.50			R 16	LT T&B	540	18
16			7.50			- 16	SL AGR	1440	48
16			7.50			- 16	SS IND	1560	52
16				F	78	- 16	LT T&B	420	14
16			8.00			- 16	SL AGR	1500	50
16	P			205	/ 55	R 16	PAS	420	14
16			8.3			- 16	AGR	1500	50
16	P			215	/ 60	- 16	PAS	420	14
16	P			215	/ 60	R 16	PAS	420	14
16	P			215	/ 70	- 16	PAS	480	16
16	P			215	/ 70	R 16	PAS	480	16
16	LT			215	/ 85	- 16	T&B	540	18
16	LT			215	/ 85	R 16	T&B	540	18
16				H	78	- 16	LT T&B	540	18
16		32	x 8.8				AIR	540	18
16	P			225	/ 50	- 16	PAS	420	14
16	P			225	/ 50	R 16	PAS	420	14
16	P			225	/ 55	R 16	PAS	480	16
16	P			225	/ 60	- 16	PAS	480	16
16	P			225	/ 60	R 16	PAS	480	16
16	LT			225	/ 75	- 16	T&B	540	18
16	LT			225	/ 75	R 16	T&B	540	18
16	P			225	/ 75	- 16	PAS	360	12
16	P			225	/ 75	R 16	PAS	360	12
16			9.00			- 16	IND	2040	68
16			9.00			- 16	DT OTR	1920	64
16			9.00			R 16	DT OTR	1920	64
16			9.00			- 16	LT T&B	720	24
16			9.00			R 16	LT T&B	720	24
16			9.00			- 16	SL AGR	1740	58
16		34	x 9.25			- 16	AIR	600	20
16	P			235	/ 50	- 16	PAS	480	16
16	P			235	/ 50	R 16	PAS	480	16
16	P			235	/ 55	R 16	PAS	480	16
16	P			235	/ 60	- 16	PAS	480	16

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter				Tire Designation					Tire Class	Volume ML(cc)	Ounces	
16	P			235	/	60	R	16	PAS	480	16	
16	P			235	/	65	R	16	PAS	540	18	
16	P			235	/	70	-	16	PAS	540	18	
16	P			235	/	70	R	16	PAS	540	18	
16	LT			235	/	85	-	16	T&B	600	20	
16	LT			235	/	85	R	16	T&B	600	20	
16				L		78	-	16	LT	T&B	540	18
16				L	R	78	-	16	LT	T&B	540	18
16				9.5			-	16	AGR	1800	60	
16				9.50			-	16	AIR	660	22	
16	P			245	/	50	-	16	PAS	480	16	
16	P			245	/	50	R	16	PAS	480	16	
16	P			245	/	70	-	16	PAS	600	20	
16	P			245	/	70	R	16	PAS	600	20	
16	LT			245	/	75	-	16	T&B	600	20	
16	LT			245	/	75	R	16	T&B	600	20	
16	P			245	/	75	-	16	PAS	600	20	
16	P			245	/	75	R	16	PAS	600	20	
16				10.00			-	16	SL	AGR	2160	72
16	P			255	/	45	R	16	PAS	480	16	
16	P			255	/	50	-	16	PAS	540	18	
16	P			255	/	50	R	16	PAS	540	18	
16	LT			255	/	85	-	16	T&B	660	22	
16	LT			255	/	85	R	16	T&B	660	22	
16	P			265	/	50	-	16	PAS	540	18	
16	P			265	/	50	R	16	PAS	540	18	
16	P			265	/	75	-	16	PAS	660	22	
16	P			265	/	75	R	16	PAS	660	22	
16	P			275	/	50	-	16	PAS	600	20	
16	P			275	/	50	R	16	PAS	600	20	
16	P			275	/	70	-	16	PAS	660	22	
16	P			275	/	70	R	16	PAS	660	22	
16				11.00			-	16	DT	OTR	2220	74
16				11.00			R	16	DT	OTR	2220	74
16				11		L	-	16	SL	AGR	2100	70
16				11.00			-	16	SL	AGR	2700	90
16		36	x	11					AIR	780	26	

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation				Tire Class	Volume ML(cc)	Ounces
16	P		285 / 70	-	16		PAS	720	24
16	P		285 / 70	R	16		PAS	720	24
16	LT		285 / 75	-	16		T&B	720	24
16	LT		285 / 75	R	16		T&B	720	24
16			12.4		-	16	AGR	2580	86
16	P		315 / 40	R	16		PAS	660	22
16			12.50		-	16	AIR	960	32
16			12.5	L	-	16	SL AGR	2400	80
16	37	x	13.0		-	16	AIR	960	32
16	39	x	13				AIR	960	32
16			13.6		-	16	AGR	2820	94
16	40	x	14				AIR	1080	36
16			15.00		-	16	AIR	1260	42
16	42	x	15				AIR	1260	42
16	40	x	15.5		-	16	AIR	1200	40
16	40.5	x	15.5		-	16	AIR	1200	40
16			16.00		-	16	DT OTR	3420	114
16			16.00		R	16	DT OTR	3420	114
16			17.00		-	16	AIR	1500	50
16.1			13.50		-	16.1	SL AGR	3180	106
16.1			14	L	-	16.1	SL AGR	3120	104
16.1			14.5	/ 75	-	16.1	SL AGR	3120	104
16.1			16.5	L	-	16.1	SL AGR	3960	132
16.1			18.4		-	16.1	AGR	4680	156
16.1			19	L	-	16.1	SL AGR	4620	154
16.1	38	x	20.00		-	16.1	NHS AGR	4260	142
16.1			21.5	L	-	16.1	SL AGR	5400	180
16.31	20	x	1.75				CYB	180	6
16.31	20	x	1.75 / 47	-	406		CYB	180	6
16.31	20	x	2.125				CYB	240	8
16.48	20	x	1 3/4				CYB	180	6
16.5			8.00		-	16.5	LT T&B	480	16
16.5			8.00		R	16.5	LT T&B	480	16
16.5			8.75		-	16.5	LT T&B	540	18
16.5			8.75		R	16.5	LT T&B	540	18
16.5			9.50		-	16.5	LT T&B	600	20
16.5			9.50		R	16.5	LT T&B	600	20

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation				Tire Class	Volume ML(cc)	Ounces
16.5		30	x 9.50			-	16.5 LT T&B	540	18
16.5		30	x 9.50			R	16.5 LT T&B	540	18
16.5			10			-	16.5 LT T&B	600	20
16.5			10			R	16.5 LT T&B	600	20
16.5			10			-	16.5 NHS IND	1800	60
16.5		31	x 10.50			-	16.5 LT T&B	660	22
16.5		31	x 10.50			R	16.5 LT T&B	660	22
16.5		31	x 11.50			-	16.5 LT T&B	660	22
16.5		31	x 11.50			R	16.5 LT T&B	660	22
16.5			12			-	16.5 LT T&B	780	26
16.5			12			R	16.5 LT T&B	780	26
16.5			12			-	16.5 NHS IND	2280	76
16.5		33	x 12.50			-	16.5 LT T&B	780	26
16.5		33	x 12.50			R	16.5 LT T&B	780	26
16.5		36	x 12.50			-	16.5 LT T&B	840	28
16.5		36	x 12.50			R	16.5 LT T&B	840	28
16.5		37	x 12.50			-	16.5 LT T&B	840	28
16.5		37	x 12.50			R	16.5 LT T&B	840	28
16.5		36	x 14.50			-	16.5 LT T&B	960	32
16.5		36	x 14.50			R	16.5 LT T&B	960	32
16.5		37	x 14.50			-	16.5 LT T&B	1020	34
16.5		37	x 14.50			R	16.5 LT T&B	1020	34
17	M		2.25			-	17 CYM	120	4
17	M			60 / 90		-	17 CYM	120	4
17	M			60 / 100		-	17 CYM	120	4
17	M		2.50			-	17 CYM	120	4
17	M		2.75			-	17 CYM	180	6
17	M			70 / 90		-	17 CYM	180	6
17	M			70 / 100		-	17 CYM	180	6
17	M		3.00			-	17 CYM	180	6
17	M			80 / 80		-	17 CYM	180	6
17	M			80 / 90		-	17 CYM	180	6
17	M			80 / 100		-	17 CYM	180	6
17	M		3.25			-	17 CYM	180	6

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation					Tire Class	Volume ML(cc)	Ounces
17	M		3.50			-	17	CYM	240	8
17	M			90	/ 80	-	17	CYM	180	6
17	M			90	/ 90	-	17	CYM	180	6
17	M			90	/ 100	-	17	CYM	180	6
17	M			100	/ 70	-	17	CYM	240	8
17	M			100	/ 70	R	17	CYM	240	8
17	M			100	/ 80	-	17	CYM	240	8
17	M			100	/ 80	R	17	CYM	240	8
17	M			100	/ 90	-	17	CYM	240	8
17	M			100	/ 100	-	17	CYM	240	8
17	M		4.25			-	17	CYM	240	8
17	M			110	/ 70	-	17	CYM	240	8
17	M			110	/ 70	R	17	CYM	240	8
17	M			110	/ 80	-	17	CYM	240	8
17	M			110	/ 80	R	17	CYM	240	8
17	M			110	/ 90	-	17	CYM	240	8
17	M		4.50			-	17	CYM	300	10
17	M		4.60			-	17	CYM	240	8
17	M			120	/ 60	R	17	CYM	240	8
17	M			120	/ 70	-	17	CYM	240	8
17	M			120	/ 70	R	17	CYM	240	8
17	M			120	/ 80	-	17	CYM	240	8
17	M			120	/ 90	-	17	CYM	300	10
17	M			120	/ 100	-	17	CYM	300	10
17	M		5.10			-	17	CYM	300	10
17	M			130	/ 60	R	17	CYM	300	10
17	M			130	/ 70	-	17	CYM	300	10
17	M			130	/ 70	R	17	CYM	300	10
17	M			130	/ 80	-	17	CYM	300	10
17	M			130	/ 90	-	17	CYM	300	10
17	M			130	/ 100	-	17	CYM	300	10
17	M			S	90	-	17	CYM	300	10
17	M			T	90	-	17	CYM	300	10
17	M			140	/ 60	R	17	CYM	300	10
17	M			140	/ 70	-	17	CYM	300	10
17	M			140	/ 70	R	17	CYM	300	10
17	M			140	/ 80	-	17	CYM	300	10

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter				Tire Designation				Tire Class	Volume ML(cc)	Ounces
17	M			140 / 80	R	17		CYM	300	10
17	M			150 / 60	R	17		CYM	300	10
17	M			150 / 70	-	17		CYM	360	12
17	M			150 / 70	R	17		CYM	360	12
17	M			150 / 90	-	17		CYB	360	12
17				6.00		-	17	T&B	360	12
17				6.00		R	17	T&B	360	12
17	T			155 / 70	-	17		PAS	300	10
17	T			155 / 70	R	17		PAS	300	10
17	M			160 / 60	-	17		CYM	360	12
17	M			160 / 60	R	17		CYM	360	12
17	M			160 / 70	-	17		CYM	360	12
17	M			170 / 60	-	17		CYM	360	12
17	M			170 / 60	R	17		CYM	360	12
17				7.00		-	17	T&B	540	18
17				7.00		R	17	T&B	540	18
17	M			180 / 50	R	17		CYM	360	12
17	M			180 / 55	R	17		CYM	360	12
17	M			180 / 60	R	17		CYM	420	14
17				7.50		-	17	T&B	540	18
17				7.50		R	17	T&B	540	18
17				8.25		-	17	T&B	600	20
17				8.25		R	17	T&B	600	20
17				225 / 50	R	17		PAS	420	14
17	P			245 / 40	R	17		PAS	480	16
17	P			245 / 45	R	17		PAS	480	16
17	P			255 / 45	R	17		PAS	540	18
17	P			275 / 40	R	17		PAS	540	18
17	P			285 / 35	R	17		PAS	540	18
17	P			285 / 40	R	17		PAS	600	20
17	P			315 / 35	R	17		PAS	660	22
17	P			335 / 35	R	17		PAS	660	22
17	C	40	x	18.0		-	17	AIR	1380	46
17.5				7		-	17.5	LT	420	14
17.5				7		R	17.5	LT	420	14
17.5				8		R	17.5	HC	480	16
17.5				8		-	17.5	LT	480	16

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation				Tire Class	Volume ML(cc)	Ounces
17.5			8		R	17.5	LT T&B	480	16
17.5			215 / 75		R	17.5	IND	1500	50
17.5			215 / 75		R	17.5	HC T&B	480	16
17.5			9		R	17.5	HC T&B	600	20
17.5			235 / 75		R	17.5	IND	1680	56
17.5			9.5		R	17.5	IND	1800	60
17.5			245 / 70		R	17.5	IND	1740	58
17.5			10		R	17.5	HC T&B	720	24
17.5			10		-	17.5	LT T&B	660	22
17.5			10		R	17.5	LT T&B	660	22
17.5			275 / 65		R	17.5	HC T&B	660	22
17.5			11		R	17.5	HC T&B	780	26
17.5			14		-	17.5	T&B	960	32
17.5			14		R	17.5	T&B	960	32
17.5			14		-	17.5	ML T&B	1920	64
17.5			14		-	17.5	NHS IND	2820	94
17.5	36	x	16		-	17.5	NHS AGR	3300	110
17.72	CT		205 / 45		R	450	PAS	420	14
17.75	20	x	1.25				CYB	120	4
17.75	20	x	1 1/4				CYB	120	4
17.75	20	x	1.375				CYB	120	4
17.75	20	x	1 3/8				CYB	120	4
18	M		2.50		-	18	CYM	120	4
18	M		2.75		-	18	CYM	180	6
18	M		70 / 90		-	18	CYM	180	6
18	M		70 / 100		-	18	CYM	180	6
18	M		3.00		-	18	CYM	180	6
18	M		80 / 80		-	18	CYM	180	6
18	M		80 / 90		-	18	CYM	180	6
18	M		80 / 100		-	18	CYM	180	6
18	M		3.25		-	18	CYM	240	8
18	M		3.50		-	18	CYM	240	8
18	M		90 / 80		-	18	CYM	180	6
18	M		90 / 90		-	18	CYM	180	6

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter				Tire Designation				Tire Class	Volume ML(cc)	Ounces
18	M			90 / 100	-	18		CYM	240	8
18	M			J 90	-	18		CYM	180	6
18	M			L 90	-	18		CYM	240	8
18	M			M 90	-	18		CYM	240	8
18	M			100 / 80	-	18		CYM	240	8
18	M			100 / 90	-	18		CYM	240	8
18	M			100 / 100	-	18		CYM	240	8
18			4.00		-	18	SL	AGR	660	22
18	M		4.00		-	18		CYM	240	8
18	M		4.10		-	18		CYM	240	8
18	M		4.25		-	18		CYM	300	10
18	M		4.25	/ 85	-	18		CYM	240	8
18	M			110 / 70	-	18		CYM	240	8
18	M			110 / 70	R	18		CYM	240	8
18	M			110 / 80	-	18		CYM	240	8
18	M			110 / 80	R	18		CYM	240	8
18	M			110 / 90	-	18		CYM	240	8
18	M			110 / 100	-	18		CYM	240	8
18	M			N 90	-	18		CYM	240	8
18	M			P 85	-	18		CYM	240	8
18	M			P 90	-	18		CYM	300	10
18	M		4.60		-	18		CYM	300	10
18	M			120 / 60	R	18		CYM	240	8
18	M			120 / 70	-	18		CYM	240	8
18	M			120 / 80	-	18		CYM	300	10
18	M			120 / 90	-	18		CYM	300	10
18	M			120 / 100	-	18		CYM	300	10
18	M		R	90	-	18		CYM	300	10
18	M		5.10		-	18		CYM	300	10
18	M			130 / 60	-	18		CYM	300	10
18	M			130 / 60	R	18		CYM	300	10
18	M			130 / 70	-	18		CYM	300	10
18	M			130 / 80	-	18		CYM	300	10
18	M			130 / 80	R	18		CYM	300	10
18	M			130 / 90	-	18		CYM	300	10
18	M			130 / 100	-	18		CYM	300	10
18	M			S 85	-	18		CYM	300	10

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter				Tire Designation					Tire Class	Volume ML(cc)	Ounces	
18	M			T	85	-	18	CYM	300	10		
18	M			140	/	60	-	18	CYM	300	10	
18	M			140	/	60	R	18	CYM	300	10	
18	M			140	/	70	-	18	CYM	300	10	
18	M			140	/	70	R	18	CYM	300	10	
18	M			140	/	80	-	18	CYM	300	10	
18	M			150	/	60	-	18	CYM	360	12	
18	M			150	/	60	R	18	CYM	360	12	
18	M			150	/	70	-	18	CYM	360	12	
18	M			150	/	70	R	18	CYM	360	12	
18	T			155	/	80	-	18	PAS	360	12	
18	T			155	/	80	R	18	PAS	360	12	
18	M			160	/	60	-	18	CYM	360	12	
18	M			160	/	60	R	18	CYM	360	12	
18	M			160	/	70	-	18	CYM	360	12	
18	M			170	/	60	-	18	CYM	420	14	
18	M			170	/	60	R	18	CYM	360	12	
18				7.00			-	18	T&B	660	22	
18				7.00			R	18	T&B	660	22	
18	M			180	/	50	R	18	CYM	360	12	
18	M			180	/	55	R	18	CYM	420	14	
18				7.50			-	18	T&B	720	24	
18				7.50			R	18	T&B	720	24	
18				7.50			-	18	NHS	IND	1740	58
18				7.50			-	18	SL	AGR	1560	52
18	P			275	/	35	R	18	PAS	540	18	
18		40	x	12					AIR	960	32	
18	P			335	/	35	R	18	PAS	660	22	
18		41	x	15.0			-	18	AIR	1200	40	
18		44	x	16					AIR	1320	44	
18		44.5	x	16.5			-	18	AIR	1440	48	
18.5				13			-	18.5	NHS	IND	1080	36
19	M			2.50			-	19	CYM	180	6	
19	M			70	/	100	-	19	CYM	180	6	

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter				Tire Designation				Tire Class	Volume ML(cc)	Ounces
19	M			3.00			- 19	CYM	180	6
19	M			80 / 80			- 19	CYM	180	6
19	M			80 / 90			- 19	CYM	180	6
19	M			80 / 100			- 19	CYM	180	6
19	M			3.25			- 19	CYM	240	8
19	M			3.50			- 19	CYM	240	8
19	M			90 / 80			- 19	CYM	240	8
19	M			90 / 90			- 19	CYM	240	8
19	M			90 / 100			- 19	CYM	240	8
19	M			J	90		- 19	CYM	240	8
19	M			L	90		- 19	CYM	240	8
19	M			M	90		- 19	CYM	240	8
19	M			100 / 80			- 19	CYM	240	8
19	M			100 / 90			- 19	CYM	240	8
19	M			100 / 100			- 19	CYM	240	8
19				4.00			- 19	SL AGR	720	24
19	M			4.10			- 19	CYM	240	8
19	M			110 / 80			- 19	CYM	240	8
19	M			110 / 90			- 19	CYM	240	8
19	M			110 / 100			- 19	CYM	300	10
19	M			120 / 80			- 19	CYM	300	10
19	M			120 / 90			- 19	CYM	300	10
19	M			120 / 100			- 19	CYM	300	10
19	M			130 / 80			- 19	CYM	300	10
19	M			140 / 80			- 19	CYM	360	12
19	H	40	x	14.0			- 19	AIR	1080	36
19	H	40	x	14.5			- 19	AIR	1140	38
19	H	42	x	16.0			- 19	AIR	1320	44
19.5				8			- 19.5	T&B	660	22
19.5				8		R	19.5	T&B	660	22
19.5				225 / 70		R	19.5	T&B	720	24
19.5				245 / 70		R	19.5	T&B	780	26
19.5				245 / 70		R	19.5	IND	1860	62
19.5				265 / 70		R	19.5	IND	2100	70
19.5				285 / 70		R	19.5	IND	2280	76
19.5				15			- 19.5	T&B	1440	48
19.5				15		R	19.5	T&B	1440	48

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation				Tire Class	Volume ML(cc)	Ounces
19.5			15		-	19.5	ML T&B	2940	98
19.5			15		-	19.5	NHS IND	3540	118
19.5			16.5		-	19.5	T&B	1680	56
19.5			16.5		R	19.5	T&B	1680	56
19.5			16.5		-	19.5	ML T&B	3360	112
19.5			18		-	19.5	T&B	1800	60
19.5			18		R	19.5	T&B	1800	60
19.5			18		-	19.5	ML T&B	3660	122
19.5	40	x	19		-	19.5	NHS AGR	4320	144
19.5			19.5		-	19.5	T&B	2100	70
19.5			19.5		R	19.5	T&B	2100	70
19.5			19.5		-	19.5	ML T&B	4200	140
19.5			22.5		R	19.5	ML T&B	4800	160
20			7.00		-	20	IND	1620	54
20			7.00		-	20	ML T&B	1380	46
20			7.50		-	20	T&B	780	26
20			7.50		-	20	IND	1800	60
20			7.50		R	20	T&B	780	26
20			7.50		-	20	ML T&B	1500	50
20			7.50		-	20	SL AGR	1620	54
20			8.25		-	20	T&B	840	28
20			8.25		-	20	IND	2100	70
20			8.25		R	20	T&B	840	28
20			8.25		-	20	ML T&B	1740	58
20			8.25		-	20	NHS OTR	2100	70
20			9.00		-	20	T&B	1020	34
20			9.00		-	20	IND	2400	80
20			9.00		R	20	T&B	1020	34
20			9.00		-	20	ML T&B	1980	66
20			9.00		-	20	NHS OTR	2400	80
20			9.50		-	20	SL AGR	2220	74
20			10.00		-	20	T&B	1080	36
20			10.00		-	20	IND	2640	88
20			10.00		R	20	T&B	1080	36

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation				Tire Class	Volume ML(cc)	Ounces
20			10.00		-	20	ML T&B	2220	74
20			10.00		-	20	NHS OTR	2700	90
20			10.00		-	20	TG OTR	2640	88
20			275 / 85 D			20	IND	2400	80
20			11.00		-	20	T&B	1200	40
20			11.00		-	20	IND	2880	96
20			11.00		R	20	T&B	1200	40
20			11.00		-	20	ML T&B	2400	80
20			11.00		-	20	NHS OTR	2940	98
20			11.1		-	20	T&B	1080	36
20			11.50		-	20	T&B	1200	40
20			11.50		R	20	T&B	1200	40
20			11.9		-	20	T&B	1200	40
20			12.00		-	20	T&B	1320	44
20			12.00		-	20	IND	3180	106
20			12.00		R	20	T&B	1320	44
20			12.00		-	20	ML T&B	2640	88
20			12.00		-	20	NHS OTR	3240	108
20			12.00		R	20	NHS OTR	3240	108
20			315 / 80 D			20	IND	2820	94
20			13.00		-	20	IND	3540	118
20			13.00		-	20	T&B	1500	50
20			13.00		R	20	T&B	1500	50
20			13.00		-	20	ML T&B	3000	100
20			13.00		-	20	TG OTR	3480	116
20			345 / 80 D			20	IND	3300	110
20			355 / 80 D			20	IND	3420	114
20			14.00		-	20	T&B	1740	58
20			14.00		R	20	T&B	1740	58
20			14.00		-	20	DT OTR	4020	134
20			14.00		R	20	DT OTR	4020	134
20			14.00		-	20	ML T&B	3480	116
20			14.00		R	20	ML T&B	3480	116
20			14.00		-	20	NHS OTR	4200	140
20			14.00		R	20	NHS OTR	4200	140
20			14.00		-	20	TG OTR	4200	140
20			14 / 80 R			20	IND	3360	112

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter				Tire Designation					Tire Class	Volume ML(cc)	Ounces		
20		38	x	14.00			-	20	NHS	AGR	3120	104	
20				15.50			-	20		AIR	1380	46	
20				16.00			R	20		T&B	2040	68	
20				16.00			-	20	DT	OTR	5040	168	
20				16.00			R	20	DT	OTR	5040	168	
20		46	x	16						AIR	1380	46	
20	H	44.5	x	16.5			-	20		AIR	1440	48	
20				425	/	95	R	20		OTR	4860	162	
20				17.00			-	20		AIR	1620	54	
20	H	45	x	17.0			-	20		AIR	1440	48	
20		49	x	17						AIR	1620	54	
20		38	x	18.00			-	20	NHS	AGR	4020	134	
20		44	x	18.00			-	20	NHS	AGR	4620	154	
20		44	x	18			-	20	NHS	IND	4500	150	
20	H	46	x	18.0			-	20		AIR	1560	52	
20		49	x	19.0			-	20		AIR	1800	60	
20		50	x	20.0			-	20		AIR	1920	64	
20		56	x	20.0			-	20		AIR	2160	72	
20		52	x	20.5			-	20		AIR	2040	68	
20		50	x	21.0			-	20		AIR	1980	66	
20		42	x	25.00			-	20	NHS	AGR	5880	196	
20		48	x	25.00			-	20	NHS	AGR	6960	232	
20		48	x	31.00			-	20	NHS	AGR	8460	282	
20		44	x	41.00			-	20	NHS	AGR	9960	332	
20.30		24	x	2.125						CYB	240	8	
20.30		24	x	2.125	/	57		507		CYB	240	8	
20.31		24	x	1.75						CYB	180	6	
20.31		24	x	2.125						CYB	240	8	
20.48		24	x	1 3/4						CYB	180	6	
21	M			2.50			-	21		CYM	180	6	
21	M			2.75			-	21		CYM	180	6	
21	M				70	/	90	-	21		CYM	180	6
21	M			3.00			-	21		CYM	180	6	
21	M				80	/	90	-	21		CYM	180	6

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter				Tire Designation				Tire Class	Volume ML(cc)	Ounces	
21	M			80 / 100	-	21		CYM	180	6	
21	M			H 90	-	21		CYM	180	6	
21	M			90 / 90	-	21		CYM	240	8	
21	M			100 / 90	-	21		CYM	240	8	
21	M			100 / 100	-	21		CYM	240	8	
21				12.00		-	21	ML T&B	2640	88	
21				12.00		-	21	NHS OTR	3180	106	
21				12.00	R	21		NHS OTR	3180	106	
21				14.00		R	21		T&B	1740	58
21				14.00		-	21	ML T&B	3480	116	
21				14.00		R	21	ML T&B	3480	116	
21				14.00		-	21	NHS OTR	4200	140	
21				14.00		R	21	NHS OTR	4200	140	
21	C	40	x	14.0		-	21		AIR	1080	36
21				14.5		-	21		T&B	1800	60
21				16.00		R	21		T&B	2040	68
21				16.00		-	21	NHS OTR	5280	176	
21				16.00		R	21	NHS OTR	5280	176	
21				18		-	21	ML T&B	3960	132	
21				23		-	21	ML T&B	5640	188	
21				24		-	21	DT OTR	7320	244	
21				24		R	21	DT OTR	7320	244	
21				27.25		-	21	DT OTR	9060	302	
21				27.25		R	21	DT OTR	9060	302	
21.24		24	x	1 3/8					CYB	180	6
21.52		24	x	1 1/4					CYB	180	6
21.75		24	x	1.25					CYB	180	6
21.75		24	x	1.375					CYB	180	6
22				10.00		-	22		T&B	1140	38
22				10.00		R	22		T&B	1140	38
22				10.00		-	22	ML T&B	2280	76	
22				11.00		-	22		T&B	1260	42
22				11.00		R	22		T&B	1260	42
22				11.00		-	22	ML T&B	2520	84	

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter				Tire Designation						Tire Class	Volume ML(cc)	Ounces
22	H	49	x	19.0			-	22		AIR	1800	60
22.31		26	x	1.75						CYB	240	8
22.31		26	x	2.10						CYB	240	8
22.31		26	x	2.125						CYB	240	8
22.48		26	x	1 3/4						CYB	240	8
22.5				8			-	22.5		T&B	720	24
22.5				8			R	22.5		T&B	720	24
22.5				9			-	22.5		T&B	840	28
22.5				9			R	22.5		T&B	840	28
22.5				9			-	22.5	ML	T&B	1680	56
22.5				245	/	75	-	22.5		T&B	900	30
22.5				245	/	75	R	22.5		T&B	900	30
22.5				250	/	70	R	22.5		T&B	900	30
22.5				10			-	22.5		T&B	960	32
22.5				10			R	22.5		T&B	960	32
22.5				10			-	22.5	ML	T&B	1980	66
22.5				10			-	22.5	NHS	OTR	2340	78
22.5				265	/	75	-	22.5		T&B	960	32
22.5				265	/	75	R	22.5		T&B	960	32
22.5				11			-	22.5		T&B	1080	36
22.5				11			R	22.5		T&B	1080	36
22.5				11			-	22.5	ML	T&B	2220	74
22.5				11			-	22.5	NHS	OTR	2640	88
22.5				295	/	75	-	22.5		T&B	1140	38
22.5				295	/	75	R	22.5		T&B	1140	38
22.5				12			-	22.5		T&B	1200	40
22.5				12			R	22.5		T&B	1200	40
22.5				12			-	22.5	ML	T&B	2460	82
22.5				12				22.5	NHS	OTR	2940	98
22.5				305	/	75	R	22.5		T&B	1200	40
22.5				315	/	80	R	22.5		T&B	1260	42
22.5				12.5				22.5		T&B	1200	40
22.5				12.5			R	22.5		T&B	1200	40
22.5				12.75				22.5		T&B	1260	42
22.5				12.75			R	22.5		T&B	1260	42
22.5				13				22.5		T&B	1320	44
22.5				13				22.5	NHS	OTR	3240	108

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation			Tire Class	Volume ML(cc)	Ounces
22.5			15			T&B	1560	52
22.5			15		R	T&B	1560	52
22.5			15			ML T&B	3120	104
22.5			385 / 65		R	T&B	1560	52
22.5			16.5			T&B	1800	60
22.5			16.5		R	T&B	1800	60
22.5			16.5			ML T&B	3600	120
22.5			425 / 65		R	T&B	1740	58
22.5			445 / 65		R	T&B	1920	64
22.5			18		-	T&B	1980	66
22.5			18		R	T&B	1980	66
22.5			18		-	ML T&B	3960	132
23	52	x	20.5		-	AIR	2040	68
23.24	26	x	1 3/8			CYB	180	6
23.5			23		-	ML T&B	5640	188
23.51	26	x	1 1/4			CYB	180	6
23.75	26	x	1.25			CYB	180	6
23.75	26	x	1.375			CYB	180	6
24			7.50		-	SL AGR	1980	66
24			8.3		-	AGR	1860	62
24			9.00		-	SL AGR	2640	88
24			9.5		-	AGR	2220	74
24			10.00		-	ML T&B	2400	80
24			10.00		-	TG OTR	2880	96
24			10.00		R	TG OTR	2880	96
24			11.00		-	T&B	1320	44
24			11.00		R	T&B	1320	44
24			11.00		-	ML T&B	2580	86
24			11.00		-	SL AGR	3240	108
24			11.2		-	AGR	2760	92
24			11.25		-	SL AGR	3360	112

Accella Tire Fill Systems

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation				Tire Class	Volume ML(cc)	Ounces
24			12.00		-	24	T&B	1440	48
24			12.00		-	24	IND	3480	116
24			12.00		R	24	T&B	1440	48
24			12.00		-	24	ML T&B	2880	96
24			12.00		-	24	NHS OTR	3540	118
24			12.00		R	24	NHS OTR	3540	118
24			12.00		-	24	TG OTR	3360	112
24			12.00		R	24	TG OTR	3360	112
24			12.4		-	24	AGR	3240	108
24			320 / 70	R	24		AGR	3000	100
24			13.00		-	24	IND	3840	128
24			13.00		-	24	ML T&B	3240	108
24			13.00		R	24	ML T&B	3240	108
24			13.00		-	24	NHS OTR	4020	134
24			13.00		R	24	NHS OTR	4020	134
24			13.00		-	24	TG OTR	3960	132
24			13.00		R	24	TG OTR	3840	128
24			13.6		-	24	AGR	3660	122
24			14.00		-	24	T&B	1860	62
24			14.00		-	24	IND	4440	148
24			14.00		R	24	T&B	1860	62
24			14.00		-	24	ML T&B	3780	126
24			14.00		R	24	ML T&B	3780	126
24			14.00		-	24	NHS OTR	4500	150
24			14.00		R	24	NHS OTR	4500	150
24			14.00		-	24	TG OTR	4560	152
24			14.00		R	24	TG OTR	4440	148
24			360 / 70	R	24		AGR	3480	116
24			14.9		-	24	AGR	4200	140
24			380 / 70	R	24		AGR	3840	128
24			385 / 95	R	24		OTR	4560	152
24			16.00		-	24	DT OTR	5940	198
24			16.00		R	24	DT OTR	5940	198
24			16.00		-	24	TG OTR	5460	182
24			16.00		R	24	TG OTR	5460	182
24			420 / 70	R	24		AGR	4440	148
24			16.9		-	24	AGR	5040	168

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter				Tire Designation				Tire Class	Volume ML(cc)	Ounces
24				16.9		R	24	AGR	5040	168
24				17.5	L	-	24	AGR	4920	164
24				18.00		-	24	DT OTR	6360	212
24				18.00		R	24	DT OTR	6360	212
24				18.4		-	24	AGR	5760	192
24				19.5	L	-	24	AGR	5700	190
24				21	L	-	24	AGR	6600	220
24	H	54	x	21.0		-	24	AIR	2160	72
24.49		700	x	28				C CYB	180	6
24.5				245 / 75		-	24.5	T&B	1020	34
24.5				245 / 75		R	24.5	T&B	1020	34
24.5				11		-	24.5	T&B	1140	38
24.5				11		R	24.5	T&B	1140	38
24.5				11		-	24.5	ML T&B	2340	78
24.5				285 / 75		-	24.5	T&B	1140	38
24.5				285 / 75		R	24.5	T&B	1140	38
24.5				12		-	24.5	T&B	1260	42
24.5				12		R	24.5	T&B	1260	42
24.5				13.5		-	24.5	T&B	1500	50
24.5				13.5		R	24.5	T&B	1500	50
24.79		27	x	1				CYB	120	4
24.79		27	x	1 1/8				CYB	180	6
24.79		27	x	1 1/4				CYB	180	6
24.79		27	x	1 1/4				HP CYB	180	6
25				11.00		-	25	ML T&B	2640	88
25				12.00		-	25	ML T&B	2880	96
25				12.00		-	25	NHS OTR	3480	116
25				12.00		R	25	NHS OTR	3480	116
25				13.00		-	25	ML T&B	3360	112
25				13.00		-	25	NHS OTR	4020	134
25				13.00		R	25	NHS OTR	4020	134
25				14.00		-	25	ML T&B	3780	126
25				14.00		R	25	ML T&B	3780	126
25				14.00		-	25	NHS OTR	4500	150

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation				Tire Class	Volume ML(cc)	Ounces
25			14.00		R	25	NHS OTR	4500	150
25			385 / 95		R	25	OTR	4560	152
25			15.5		-	25	OTR	4560	152
25			15.5		R	25	OTR	4560	152
25			16.00		-	25	OTR	5640	188
25			16.00		-	25	IND	5640	188
25			16.00		R	25	OTR	5640	188
25			17.5		-	25	OTR	5280	176
25			17.5		R	25	OTR	5280	176
25			445 / 80		R	25	OTR	5400	180
25			445 / 95		R	25	OTR	5640	188
25			18.00		-	25	OTR	7080	236
25			18.00		-	25	IND	7020	234
25			18.00		R	25	OTR	7080	236
25			18.00		-	25	DT OTR	6360	212
25			18.00		R	25	DT OTR	6360	212
25	61	x	18.00		-	25	OTR	6780	226
25			505 / 95		R	25	OTR	6960	232
25			20 / 65		-	25	OTR	5880	196
25			20.5		-	25	OTR	6840	228
25			20.5		R	25	OTR	6840	228
25			525 / 80		R	25	OTR	6840	228
25			21.00		-	25	OTR	8760	292
25			21.00		R	25	OTR	8760	292
25			21.00		-	25	DT OTR	8460	282
25			21.00		R	25	DT OTR	8460	282
25			22 / 65		R	25	OTR	6720	224
25			575 / 95		R	25	OTR	8580	286
25			23.5		-	25	OTR	8460	282
25			23.5		R	25	OTR	8460	282
25			605 / 80		R	25	OTR	8580	286
25			24.00		-	25	OTR	10740	358
25			24.00		R	25	OTR	10740	358
25			25 / 65		-	25	OTR	8280	276
25			25 / 65		R	25	OTR	8280	276
25			26.5		-	25	OTR	10320	344
25			26.5		R	25	OTR	10320	344

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation				Tire Class	Volume ML(cc)	Ounces
25			685 / 80	R	25		OTR	10440	348
25			29.5		- 25		OTR	12300	410
25			29.5		R 25		OTR	12300	410
25			29.5		- 25	DT	OTR	12060	402
25			29.5		R 25	DT	OTR	12060	402
25			30 / 65	- 25			OTR	11040	368
25			30 / 65	R 25			OTR	11040	368
25	67	x	34.00		- 25	NHS	AGR	13080	436
25			35 / 65	- 25			OTR	14220	474
25	66	x	43.00		- 25	NHS	AGR	15720	524
25	66	x	44.00		- 25	NHS	AGR	16680	556
26			14.9		- 26		AGR	4260	142
26			14.9		R 26		AGR	4260	142
26			16.00		- 26		OTR	4860	162
26			16.9		- 26		AGR	5220	174
26			16.9		R 26		AGR	5220	174
26			18.0		- 26	TG	OTR	7620	254
26			18.4		- 26		AGR	5940	198
26			18.4		R 26		AGR	5940	198
26			480 / 70	R 26			AGR	5640	198
26			23.1		26		AGR	8400	280
26			28 L		26		AGR	10320	344
26	54	x	31.00		26	NHS	AGR	9480	316
26	67	x	34.00		26	NHS	AGR	13080	436
26	66	x	43.00		26	NHS	AGR	15720	524
28			11.2		- 28		AGR	3000	100
28			11.25		- 28	SL	AGR	3660	122
28			12.4		- 28		AGR	3480	116
28			320 / 70	R 28			AGR	3240	108

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter		Tire Designation				Tire Class	Volume ML(cc)	Ounces
28		13.6		-	28	AGR	4020	134
28		13.6		R	28	AGR	4020	134
28		360 / 70		R	28	AGR	3840	128
28		14.9		-	28	AGR	4560	152
28		14.9		R	28	AGR	4560	152
28		380 / 70		R	28	AGR	4140	138
28		420 / 70		R	28	AGR	4800	160
28		16.9		-	28	AGR	5400	180
28		16.9		R	28	AGR	5400	180
28		18.4		-	28	AGR	6180	206
28		480 / 70		R	28	AGR	5820	194
28		19.6		-	28	AGR	6480	216
29		20 / 65		-	29	OTR	6300	210
29		24.00		-	29	OTR	11280	376
29		24.00		R	29	OTR	11280	376
29		25 / 65		-	29	OTR	8820	294
29		26.5		-	29	OTR	10920	364
29		26.5		R	29	OTR	10920	364
29		29.5		-	29	OTR	13140	438
29		29.5		R	29	OTR	13140	438
29		30 / 65		-	29	OTR	11760	392
29		30 / 65		R	29	OTR	11760	392
29		33.25		-	29	OTR	15480	516
29		33.25		R	29	OTR	15480	516
29		35 / 65		-	29	OTR	15000	500
30		14.9		-	30	AGR	4740	158
30		14.9		R	30	AGR	4740	158
30		420 / 70		R	30	AGR	4980	166
30		16.9		-	30	AGR	5700	190
30		16.9		R	30	AGR	5580	186
30		18.4		-	30	AGR	6480	216

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter				Tire Designation					Tire Class	Volume ML(cc)	Ounces	
30				480	/	70	R	30	AGR	6060	202	
30				520	/	70	R	30	AGR	6780	226	
30				23.1			-	30	AGR	8760	292	
30	67	x		34.00			-	30	NHS AGR	13080	436	
32				24.5			-	32	AGR	10020	334	
32				24.5			R	32	AGR	9840	328	
32				30.5		L	-	32	AGR	12540	418	
32				30.5		L	R	32	AGR	12360	412	
32				30.5		L	-	32	VA AGR	12360	412	
32				33		L	-	32	VA AGR	13980	466	
32				35.5		L	-	32	AGR	15660	522	
32				35.5		L	-	32	VA AGR	15660	522	
32				38		L	-	32	VA AGR	17460	582	
32				40.5		L	-	32	VA AGR	19440	648	
32	DH	73	x	44.00			-	32	NHS AGR	18420	614	
32	VA	73	x	44.00			-	32	NHS AGR	18420	614	
32		68	x	50.00			-	32	NHS AGR	19500	650	
33				18.00			-	33	OTR	7980	266	
33				18.00			R	33	OTR	7980	266	
33				21.00			-	33	OTR	9780	326	
33				27.00			-	33	OTR	15000	500	
33				27.00			R	33	OTR	15000	500	
33				30.00			-	33	OTR	16860	562	
33				30		/	65	-	33	OTR	12420	414
33				33.5			-	33	OTR	16740	558	
33				33.5			R	33	OTR	16740	558	
33				35		/	65	-	33	OTR	15780	526
33				35		/	65	R	33	OTR	15780	526
33				37.5			-	33	OTR	19920	664	
33				37.5			R	33	OTR	19920	664	

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter		Tire Designation			Tire Class	Volume ML(cc)	Ounces
34		16.9		- 34	AGR	6000	200
34		18.4		- 34	AGR	6900	230
34		18.4		R 34	AGR	6780	226
34		480 / 70	R	34	AGR	6480	216
34		520 / 70	R	34	AGR	7200	240
34		20.8		- 34	AGR	8040	268
34		20.8		R 34	AGR	8040	268
34		23.1		- 34	AGR	9300	310
34		23.1		R 34	AGR	9300	310
35		21.00		- 35	OTR	10020	334
35		21.00		R 35	OTR	10020	334
35		24.00		- 35	OTR	12180	406
35		24.00		R 35	OTR	12180	406
35		29.5		- 35	OTR	13980	466
35		29.5		R 35	OTR	13980	466
35		33.25		- 35	OTR	16980	566
35		33.25		R 35	OTR	16980	566
35		37.25		- 35	OTR	19800	660
35		37.25		R 35	OTR	19800	660
36		11.2		- 36	AGR	3420	114
36		12.4		- 36	AGR	4080	136
36		13.9		- 36	AGR	4620	154
37		31.5		- 37	OTR	5940	198
37		31.5		R 37	OTR	5940	198
38		11.2		- 38	AGR	3660	122

Accella Tire Fill Systems

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation				Tire Class	Volume ML(cc)	Ounces
38			12.4			- 38	AGR	4200	140
38			13.6			- 38	AGR	4740	158
38			14.9			- 38	AGR	5280	176
38			15.5			- 38	AGR	5460	182
38			15.5			R 38	AGR	5460	182
38			16.9			- 38	AGR	6360	212
38			16.9			R 38	AGR	6360	212
38			18.4			- 38	AGR	7200	240
38			18.4			R 38	AGR	7200	240
38				480 /	70	R 38	AGR	6900	230
38				520 /	70	R 38	AGR	7680	256
38			20.8			- 38	AGR	8520	284
38			20.8			R 38	AGR	8520	284
38				580 /	70	R 38	AGR	9000	300
38			33	L		- 38	VA	15120	504
38			35.5	L		- 38	VA	16860	562
38			38	L		- 38	VA	18780	626
38			40.5	L		- 38	VA	20820	694
39			33.5			- 39	OTR	17880	596
39			33.5			R 39	OTR	17880	596
39			37.5			- 39	OTR	21180	706
39			37.5			R 39	OTR	21180	706
39			40	/	65	- 39	OTR	20940	698
39			40	/	65	R 39	OTR	20940	698
39			40.5	/	75	R 39	OTR	23220	774
39			41.25	/	70	- 39	OTR	22500	750
39			45	/	65	- 39	OTR	25260	842
42			18.4			- 42	AGR	7620	254
42			18.4			R 42	AGR	7620	254
42			20.8			- 42	AGR	9000	300
42			20.8			R 42	AGR	9000	300

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation				Tire Class	Volume ML(cc)	Ounces
45			45 / 65	R	45		OTR	26760	892
45			50 / 65	-	45		OTR	31620	1054
45			55 / 65	-	45		OTR	36840	1228
46			13.6		-	46	AGR	5400	180
46			13.6		R	46	AGR	5400	180
46			14.9		R	46	AGR	5880	196
46			18.4		R	46	AGR	8040	268
46			20.8		R	46	AGR	9420	314
49			18.00		-	49	OTR	9720	324
49			18.00		R	49	OTR	9720	324
49			21.00		-	49	OTR	11820	394
49			21.00		R	49	OTR	11820	394
49			24.00		-	49	OTR	14220	474
49			24.00		R	49	OTR	14220	474
49			27.00		-	49	OTR	17100	570
49			27.00		R	49	OTR	17100	570
51			24.00		-	51	OTR	14520	484
51			27.00		-	51	OTR	17400	580
51			30.00		-	51	OTR	20520	684
51			30.00		R	51	OTR	20520	684
51			33.00		-	51	OTR	23460	782
51			33.00		R	51	OTR	23460	782
51			36.00		-	51	OTR	27360	912
51			36.00		-	51 DT	OTR	26580	886
51			36.00		R	51	OTR	27360	912
51			36.00		R	51 DT	OTR	26580	886
51			37.5		-	51	OTR	23760	792
51			37.5		R	51	OTR	23760	792

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation				Tire Class	Volume ML(cc)	Ounces
51			50 / 65 - 51				OTR	33300	1110
51			50 / 65 R 51				OTR	33300	1110
51			55 / 65 - 51				OTR	38700	1290
51			60 / 65 - 51				OTR	44520	1484
51			65 / 65 - 51				OTR	50700	1690
53			39 / 90 R 53				OTR	27360	912
56.5			27 - 56.5				OTR	14400	480
56.5			30 - 56.5				OTR	17100	570
57			37.00 R 57				OTR	30000	1000
57			40.00 - 57				OTR	33840	1128
57			40.00 R 57				OTR	33840	1128
59.5			33 - 59.5				OTR	20160	672
59.5			36 - 59.5				OTR	23580	786
59.5			39 - 59.5				OTR	26940	898
6	18	x	7/4.50F				NHS	720	24
8	16	x	4.4				AIR	180	6
8	18	x	5.5				AIR	240	8
8	18	x	7				IND	780	26
10	18	x	4.4				AIR	180	6
10	24	x	7.7				AIR	360	12
12.31	16	x	1.75				CYB	120	4
12.31	16	x	2.125				CYB	180	6

Accella Tire Fill Systems ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation				Tire Class	Volume ML(cc)	Ounces
12.48	16	x	1 3/4				CYB	120	4
13	21	x	4				IND	600	20
13	22	x	4 1/2				IND	780	26
13	23	x	5				IND	900	30
13	25	x	6				IND	1020	34
14	26	x	6.6				AIR	360	12
14	34	x	11				AIR	720	24
14.31	18	x	1.625				CYB	120	4
15	29	x	7.7				AIR	420	14
16	32	x	8.8				AIR	540	18
16	36	x	11				AIR	780	26
16	39	x	13				AIR	960	32
16	40	x	14				AIR	1050	35
16	42	x	15				AIR	1260	42
16.31	20	x	1.75				CYB	180	6
16.31	20	x	1.75	/	47	406	CYB	180	6
16.31	20	x	2.125				CYB	240	8
16.48	20	x	1 3/4				CYB	180	6
17.72	CT		205	/	45	R 450	PAS	420	14
17.75	20	x	1 1/4				CYB	120	4
17.75	20	x	1.25				CYB	120	4
17.75	20	x	1.375				CYB	120	4
17.75	20	x	1 3/8				CYB	120	4
18	40	x	12				AIR	960	32
18	44	x	16				AIR	1320	44
20	46	x	16				AIR	1380	46
20	49	x	17				AIR	1620	54
20.30	24	x	2.125				CYB	240	8
20.30	24	x	2.125	/	57	- 507	CYB	240	8
20.31	24	x	1.75				CYB	180	6
20.31	24	x	2.125				CYB	240	8
20.48	24	x	1 3/4				CYB	180	6
21.24	24	x	1 3/8				CYB	180	6
21.52	24	x	1 1/4				CYB	180	6
21.75	24	x	1.25				CYB	180	6
21.75	24	x	1.375				CYB	180	6
22.31	26	x	1.75				CYB	240	8

Accella Tire Fill Systems

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tire Width)

Rim Diameter			Tire Designation					Tire Class	Volume ML(cc)	Ounces
22.31	26	x	2.10					CYB	240	8
22.31	26	x	2.125					CYB	240	8
22.48	26	x	1 3/4					CYB	240	8
23.24	26	x	1 3/8					CYB	180	6
23.51	26	x	1 1/4					CYB	180	6
23.75	26	x	1.25					CYB	180	6
23.75	26	x	1.375					CYB	180	6
24.49	700	x	28				C	CYB	180	6
24.79	27	x	1					CYB	120	4
24.79	27	x	1 1/8					CYB	180	6
24.79	27	x	1 1/4					CYB	180	6
24.79	27	x	1 1/4				HP	CYB	180	6